


ACCESSORIES

FOR SELF SERVICE OPERATION

TECHNICAL FEATURES

ENG



Vacuum cleaners

New Vacuum

.Self-service vacuum cleaner, coin or token operated.

- | | |
|----------|--|
| Features | <ul style="list-style-type: none"> .Adjustable timer, to measure the operation time .High power and capacity, simple and easy operation .Prearranged for floor anchoring .Stainless steel frame and ABS cladding .PLC control <ul style="list-style-type: none"> .cycle counting and diagnostic signals .Turbine power 2,2 kW .Stainless steel bin dust collection system .Textile filter and filter-shaking device .Lighting column, to be installed to the left or right side of the unit; switches on automatically every time the vacuum cleaner starts .Flexible hose, 5 meter long, with flat suction nozzle |
|----------|--|

- | | |
|---------|--|
| Options | <ul style="list-style-type: none"> .Electronic token acceptor .Compressed air attachment to clean difficult zones of the vehicle .In-built compressed air distribution post .Switch for manual operation, with key |
|---------|--|

Technical data	Depression	2900 mm H ₂ O
	Voltage	415 V - 50 Hz
	Drive	Direct
	Power	2200 Watt
	Weight	100 Kg
	Dimensions	55 x 75 x 47 cm
	Packing	60 x 80 x 163 cm

Double Vacuum

.Self-service vacuum cleaner with two suction hoses to clean two vehicles at the same time, for cost reduction and increase of earnings.

- | | |
|----------|---|
| Features | <ul style="list-style-type: none"> .Stainless steel frame and ABS cladding .Prearranged for floor anchoring .PLC control <ul style="list-style-type: none"> .cycle counter and adjustment of operation times, diagnostic signals .2 turbines, 2,2 kW each .Stainless steel dust collection bin .Textile filter .24 Volt auxiliary controls .Self-service operation, with coins or tokens .PVC box to collect coins and tokens .Power pilot lamp .Emergency STOP button .Flexible hoses, 5 meter long, with flat suction nozzles |
|----------|---|

- | | |
|---------|--|
| Options | <ul style="list-style-type: none"> .In-built compressed air delivery system .Lighting columns fitted on both sides of the unit, switching on automatically every time the vacuum cleaner starts .Electric type token acceptor .Switch for manual operation, with key |
|---------|--|

Technical data	Depression	2900 mm H ₂ O
	Voltage	415 V - 50 Hz
	Drive	Direct
	Power	5 kW
	Weight	170 Kg
	Dimensions	100 x 146 x 50 cm
	Packing	110 x 55 x 50 cm

New Vacuum Small

.These professional unit features the same characteristics of efficiency and reliability as the other two vacuum cleaners, but its reduced dimensions makes it suitable for installation also in small spaces.

- | | |
|----------|--|
| Features | <ul style="list-style-type: none"> .Stainless steel frame .Prearranged for floor anchoring .PLC control <ul style="list-style-type: none"> .cycle counter and adjustment of operation times, diagnostic signals .24 Volt auxiliary controls .Self-service operation, with coins or tokens .PVC box to collect coins and tokens .Power pilot lamp .Emergency STOP button .Flexible hoses, 5 meter long, with flat suction nozzles .Power supply: single phased 220 V – 50 Hz standard |
|----------|--|

- | | |
|---------|--|
| Options | <ul style="list-style-type: none"> .Electronic token acceptor .Switch for manual operation, with key |
|---------|--|

Technical data	Depression	1900 mm H ₂ O
	Voltage	220 V - 50 Hz
	Drive	Direct
	Power	1080 x 2 W
	Weight	50 Kg
	Dimensions	55 x 35 x 180 cm
	Packing	60 x 40 x 190 cm

Professional liquid suction units

Range Elephant

Technical data	Voltage	400 V - 50 Hz
	Power	2200 Watt
	Turbine	Direct drive
	Weight	70 Kg
	Dimensions	70 x 40 x 100 cm
	Packing	120 x 80 x 112 cm

Range Amsterdam

Vacuum cleaner Mod. 101

Technical data	Voltage	220 - 240 V
	Power	1000 Watt
	Depression	1800 mm H ₂ O
	Intake air	140 m ³ /h
	Bin capacity	15 L

Dust and liquids suction cleaner Mod. 315

Technical data	Voltage	220 - 240 V
	Power	1200 Watt
	Depression	2200 mm H ₂ O
	Intake air	170 m ³ /h
	Bin capacity	23 L

Dust and liquids suction cleaner Mod. 415 - 415 Basc.

Technical data	Voltage	220 - 240 V
	Power	1200 Watt
	Depression	2200 mm H ₂ O
	Intake air	170 m ³ /h
	Bin capacity	72 L

Dust and liquids suction cleaner Mod. 429 - 429 Basc.

Technical data	Voltage	220 - 240 V
	Power	2400 Watt
	Depression	2200 mm H ₂ O
	Intake air	340 m ³ /h
	Bin capacity	72 L

Dust and liquids suction cleaner Mod. 440 - 440 Basc.

Technical data	Voltage	220 - 240 V
	Power	3300 Watt
	Depression	2200 mm H ₂ O
	Intake air	510 m ³ /h
	Bin capacity	72 L

Carpet Wash

Features	.Stainless steel frame
	.Collection box with key for coins and tokens
	.Reinforced nylon cleaning brush, bristles with variable hardness
	.Teflon guide roller
	.Bottom grid to receive the clean mat
	.Brass chromed pedal for water flow adjustment
	.Power pilot lamp
	.Belt drive
	.STOP pushbutton
	.Internal cycle counter
	.Switch with key for manual operation
	.Power supply: single phased 220 Volt, 50 Hz
	.Electronic token acceptor

Option	Water delivery rate	18 L/min
	Voltage	220 V - 50 Hz
	Power	0,33 kW
	Weight	60 Kg
	Dimensions	90 x 108 x 45 cm
	Packing	110 x 50 x 113 cm
	Connections	Power connection: 400 V / 16 A 3 + PE (230 V) Water connection: 1/2 " Pressure: 3 bar with stop valve Connection to the drainage system

Paper Dispenser

Features	.Glazed stainless steel frame
	.Loading capacity: 1 paper roller
	.Self service operation with coin or token
	.Adjustable paper length
	.Power supply 220 Volt – 50 Hz
	.Mounted on post
	.Electric power: 300 W

Options	.Electric coin acceptor
	.Key switch for manual operation

Technical data	Voltage	230 V - 50 Hz
	Power	0,3 kW
	Weight	30 Kg
	Dimensions	45 x 35 x 157 cm
	Packing	50 x 50 x 180 cm

Product Sprayer

Features	<ul style="list-style-type: none">.AISI 304 stainless steel frame.Prearranged for floor anchoring.Automatic setting of the water-product mixture through volumetric dosing pump.Internal heater for frost protection.PLC control<ul style="list-style-type: none">.cycle counter, operation time adjustment and diagnostic signals.Operation with coins or tokens.Power pilot lamp.STOP pushbutton	
Options	<ul style="list-style-type: none">.Electronic coin acceptor.Switch for manual operation	
Technical data	Voltage	230 V - 50 Hz
	Mixing rate	1% - 5%
	Weight	50 Kg
	Dimensions	50 x 20 x 160 cm
	Packing	55 x 35 x 180 cm

Scent Sprayer

Features	<ul style="list-style-type: none">.Stainless steel frame.PLC control<ul style="list-style-type: none">.cycle counter, operation time adjustment and diagnostic signals.4 scent mini electro-pumps.Self service operation with coins or tokens.Power pilot lamp.STOP pushbutton	
Options	<ul style="list-style-type: none">.Electric coin box.Switch with key for manual operation	
Technical data	Voltage	230 V - 50 Hz
	Power	0,2 kW
	Weight	50 Kg
	Dimensions	50 x 20 x 160 cm
	Packing	55 x 35 x 180 cm

Multipaper (wet towel dispenser)

Features	<ul style="list-style-type: none">.Stainless steel 12/10 frame.Stainless steel 15/10 door, complete with double safety lock.Multi-channel electric coin acceptor.Five-digit numeric display, to visualise the credit, the set-up and the diagnostic codes.Back lighted product labels.Choice between 6 different products.Software for the management of each individual product price.Capacity of each stacker, approx. 4,3 litres.Towel dimensions : cm 37 x 24.Roller: 800 towels each.Internal frost protection heating system (max -9°)	
Technical data	Voltage	100 - 240 V, 50 - 60 Hz
	Power	150 VA
	Weight	104 kg (140 Kg fully loaded)
	Dimensions	76 x 6 x 186 cm

Leather wringer

Features	<ul style="list-style-type: none">.AISI 304 stainless steel frame.Self-lubricating rollers	
Technical data	Dimensions	300 x 430 x 1000 mm

Grid type mat beater

Features	<ul style="list-style-type: none">.Made of AISI 304 stainless steel.With hole for cans.With lockable drawer	
Technical data	Dimensions	400 x 600 x 1000 mm

Grid type mat beater

Features	<ul style="list-style-type: none">.Hot dip galvanised frame	
Technical data	Dimensions	600 x 370 x 950 mm

Inside washer, garage range

Features	<ul style="list-style-type: none">.Hot dip galvanised frame	
Technical data	Dimensions	600 x 370 x 950 mm

There's always another road to choose.

One which takes us beyond our limits and habits to let us try different routes and explore new horizons, with a dedication to results and a drive to innovate, aware of goals reached, and ready for new challenges.

In this world so mobile we're taking cleaning further, to where true hygiene, ecology and value become one, where a means of transport is truly about comfort, wellbeing and freedom; and where our ideas, research and technology are blending to build the future.

It will be an exciting journey: we'll take it together.

Ceccato s.p.a.

via selva maiolo 5/7
36075 Alte Ceccato
di Montecchio Maggiore
Vicenza - Italy

t +39 0444 708 411
f +39 0444 708 405
info@ceccato.it
www.ceccato.it

